






# MULTI-SEEDER

|  |   |   |  |   |
|--|---|---|--|---|
|  |  |  |  |  |
| <b>Twin 2 x 100</b><br>593x926(1180)mm<br>H = 935(1075)mm                        | <b>200-8-EL</b><br>650x650(770)mm<br>H = 980mm                                    | <b>410-8-HY</b><br>800x1200 mm<br>H =1030(1180)mm                                 | <b>660-8-HY-FZ-AC</b><br>900x1400 mm<br>H =1170(1320)mm                            | <b>850-8-HY-FZ-AC</b><br>924x1424 mm<br>H =1340(1490)mm                             |

- For mounting the Multi-Seeder, we offer a complete set for the following machines: Tip-Roller, Tip-Roller XL, Grass-Roller, King-Roller, Disc-Roller Contour, Disc-Roller XL Contour, Combi-Disc, Triple-Tiller, Triple-Tiller *Airy*, Master-Tiller, Sub-Tiller, Combi-Seeder, Disc-Seeder, Weeder, Weeder HD and Top-Strigle.
- Very simple and quick test turning of the seeder with precise infinitely variable seed dosing
- Can be used for many different products – grass-seed, rape, clover, fertilizer, poison etc.

## PRICES & SPECIFICATIONS

Prices for mounting set, compare “extra equipment” for the particular machine that you will be mounting the Multi-Seeder onto.




| Model                          | Working width up to | Fan drive          | Hopper volume | No. Of spreading plates | Weight Kg | Item no. |  |
|--------------------------------|---------------------|--------------------|---------------|-------------------------|-----------|----------|--|
| 200-8-EL-EC                    | 6,30m               | Elect. 12v 30Amp   | 200 l.        | 8                       | 85        | 0538620  |  |
| 200-16-HY-EC ▲                 | 12,00m              | Hydr. 10-17 l/min. | 200 l.        | 16                      | 90        | 0538622  |  |
| 200-8-EL                       | 6,30m               | Elect. 12v 30Amp   | 200 l.        | 8                       | 85        | 0538600  |  |
| 200-8-EL-AC                    | 6,30m               | Elect. 12v 30Amp   | 200 l.        | 8                       | 73        | 0538610  |  |
| 200-8-HY                       | *6,30m              | Hydr. 10-17 l/min. | 200 l.        | 8                       | 92        | 0538604  |  |
| 200-8-HY-AC                    | *6,30m              | Hydr. 10-17 l/min. | 200 l.        | 8                       | 80        | 0538615  |  |
| 200-16-HY ▲                    | *12,00m             | Hydr. 10-17 l/min. | 200 l.        | 16                      | 98        | 0538602  |  |
| 200-16-HY-AC ▲                 | *12,00m             | Hydr. 10-17 l/min. | 200 l.        | 16                      | 86        | 0538616  |  |
| 410-8-HY                       | *6,30m              | Hydr. 10-17 l/min. | 410 l.        | 8                       | 156       | 0538700  |  |
| 410-8-HY-AC                    | *6,30m              | Hydr. 10-17 l/min. | 410 l.        | 8                       | 144       | 0538710  |  |
| 420-12-HY                      | *9,00m              | Hydr. 10-17 l/min. | 420 l.        | 12                      | 164       | 0538750  |  |
| 420-12-HY-AC                   | *9,00m              | Hydr. 10-17 l/min. | 420 l.        | 12                      | 152       | 0538752  |  |
| 660-12 HY-AC                   | *9,00m              | Hydr. 10-17 l/min. | 660 l.        | 12                      | 174       | 0538865  |  |
| 410-16-HY ▲                    | *12,00m             | Hydr. 10-17 l/min. | 410 l.        | 16                      | 160       | 0538800  |  |
| 410-16-HY-AC ▲                 | *12,00m             | Hydr. 10-17 l/min. | 410 l.        | 16                      | 148       | 0538810  |  |
| 660-16-HY ▲                    | *12,00m             | Hydr. 10-17 l/min. | 660 l.        | 16                      | 166       | 0538830  |  |
| 660-16-HY-AC ▲                 | *12,00m             | Hydr. 10-17 l/min. | 660 l.        | 16                      | 154       | 0538850  |  |
| 660-8-HY-FZ                    | *6,30m              | Hydr. 10-17 l/min  | 660 l.        | 8                       | 166       | 0538560  |  |
| 660-8-HY-FZ-AC                 | *6,30m              | Hydr. 10-17 l/min  | 660 l.        | 8                       | 154       | 0538565  |  |
| 850-8-HY-FZ                    | *6,30m              | Hydr. 10-17 l/min  | 850 l.        | 8                       | 200       | 0538570  |  |
| 850-8-HY-FZ-AC                 | *6,30m              | Hydr. 10-17 l/min  | 850 l.        | 8                       | 188       | 0538572  |  |
| 1150-8-HY-FZ-AC                | 6,30m               | Hydr. 10-17 l/min. | 1150 l        | 8                       | 210       | 0538574  |  |
| <b>TWIN</b><br>2x100-8-HY-AC   | *6,30m              | Hydr. 10-17 l/min. | 2 x 100 l.    | 2 x 8                   | 200       | 0538720  |  |
| <b>TWIN</b><br>90/140-12-HY-AC | *9,00m              | Hydr. 10-17 l/min. | 90l / 140 l.  | 2 x 12                  | 240       | 0538730  |  |

\* Requires one single-acting oil outlet + return to the sump without pressure.

▲ The machines has 8 outlets and by means of distributors, the mchine will have 16 spreading plates

## STANDARD EQUIPMENT FOR MULTI-SEEDER

- 2 pieces of unlike dosing-rolls ( does not apply for the Sub-Tiller)
- 1.8 m long driving cable▲ & complete land wheel with bracket (not AC/EC).
- Spreading plates, double f/precise placement and distribution 8/16 pcs.
- Seed hose at delivery without a mounting set, 24m for 8 and 12 outlets and 48m for 16 spreading plates.
- Tray for test turning of the machine.
- Inspection window in the seed hopper.
- Emptying device with hose.

| <p style="text-align: center;"><b>EC-models</b><br/><b>Electrical dosage</b></p>    | <p style="text-align: center;"><b>AC-Lite</b><br/><b>Hydraulic fan</b></p>    | <p style="text-align: center;"><b>AC-Plus</b><br/><b>Electrical fan</b></p>    |
|--|--|---|
| <ul style="list-style-type: none"> <li>• Elec. driven dosing w/variable rate adjustm. from cable</li> <li>• Independent speed dosage (requires fixed work. speed)</li> <li>• Standard w/Electro-Controller</li> </ul>                    | <ul style="list-style-type: none"> <li>• Electric motor seed roller drive.</li> <li>• Radar (implement mounted) for forward speed control.</li> <li>• Computer: Setting &amp; adjusting of seed rate, low hopper level alarm, part- and total Ha, auto test turning, prestart, monitor of fan operations.</li> <li>• Finger switch / top-link switch for start and stop of seeding.</li> <li>• Manual switch in cabin for on/off of seeding.</li> <li>• Revolution counter for hydr. fan &amp; 6m wire between tractor socket and Multi-Seeder.</li> </ul> | <ul style="list-style-type: none"> <li>• Electric motor seed roller drive.</li> <li>• Radar (implement mounted) for forward speed control.</li> <li>• Computer: Setting &amp; adjusting of seed rate, low hopper level alarm,</li> <li>• Part- and total Ha, auto test turning, prestart, monitor of fan operations.</li> <li>• Finger switch / top-link switch for start and stop of seeding.</li> <li>• Manual switch in cabin for on/off of seeding and electrical fan.</li> </ul> |
| <p style="text-align: center;"><b>EC-EL mounting parts*</b></p>  | <p style="text-align: center;"><b>AC-HY mounting parts*</b></p>  | <p style="text-align: center;"><b>AC-EL-mounting parts*</b></p>   |
| <ul style="list-style-type: none"> <li>• 5m power cable f/tractor mounting incl. socket f/mounting directly to tractor battery w/on/off switch in the cabin.</li> <li>• 10 m power cable incl. socket mounted on the machine.</li> </ul> | <ul style="list-style-type: none"> <li>• 6 m hydr. hoses w/quick couplings for return to sump without pressure.</li> <li>• Manometer mounted on the fan motor for adjustment of the revolutions.</li> <li>• 6 m. cable from controller to Multi-Seeder.</li> <li>• 6 m. power wire between tractor socket and Multi-Seeder.</li> </ul>   | <ul style="list-style-type: none"> <li>• Power supply: 5m cable set for tractor mounting incl. socket for mounting directly on the battery + 6m cable between tractor socket &amp; Multi-Seeder.</li> <li>• 8 m monitor cord to Multi-Seeder.</li> </ul>  |

\* included in the price

### Especially for fertilizers

#### FZ-models:

- Sieve in the fertilizer hopper.
- Dosage unit in stainless steel.
- Special model for fertilizer

## EXTRA EQUIPMENT FOR MULTI-SEEDER

▲ In case of another length of driving cable (not standard 1.8 m) the price will be corrected in relation to this price.

| Designation   | Weight                      | Item no. |  |
|---|-----------------------------|----------|--|
| Fan hydr. - Kit for conversion of EL-fan  |                             | 0539112  |  |
| When mounting 2 Multi-Seeders with hydr. fans ,<br>you only need one hydr. fan.<br><b>reduction</b> | <b>Price</b>                | 0539113  |  |
| Air distributor with 2 outlets f/ 76 mm hose f/hydr. fan  | 0.22 kg                     | 0539123  |  |
| 1.50 m driving cable  | 2.0 kg                      | 0539060  |  |
| 1.80 m driving cable (standard)   | 2.1 kg                      | 0539061  |  |
| 2.10 m driving cable  | 2.2 kg                      | 0539062  |  |
| 2.50 m driving cable  | 2.4 kg                      | 0539063  |  |
| 2.75 m driving cable  | 2.5 kg                      | 0539064  |  |
| 3.00 m driving cable  | 2.6 kg                      | 0539065  |  |
| 3.25 m driving cable  | 2.8 kg                      | 0539101  |  |
| 3.50 m driving cable  | 3.2 kg                      | 0539102  |  |
| 3.75 m driving cable  | 3.7 kg                      | 0539117  |  |
| Seed hose<br><b>m</b>   | <b>Price per</b><br>0.37 kg | 0539055  |  |
| Extra dosing roller according to specification  | -                           |          |  |
| Spreading plate, double / nozzle double<br><b>unit</b>  | <b>Price per</b><br>0.2 kg  | 0539056A |  |
| Distributor unit with 2 outlets f/26 mm hose  | 0.31 kg                     | 0539097  |  |
| Distributor unit with 3 outlets f/26 mm hose  |                             | 0539108  |  |
| Distributor unit with 4 outlets f/26 mm hose  |                             | 0539264  |  |
| Hectare counter, mechanical (not for Ac or EC models)   | 0.5 kg                      | 0539037  |  |
| Straw filter for el. fan (EL-models)  | 5 kg                        | 0539106  |  |
| Straw filter for hydr. fan (HY-models)  | 5 kg                        | 0539900  |  |
| Revolution counter w/9 m cable for hydraulic fan  | 3 kg                        | 0539103  |  |
| Extra cable f/fan,tractor part w/socket & on/off switch   | 9 kg                        | 0539100A |  |
| Extra cable f/fan,tractor part for AC-Plus  | 1.5 kg                      | 0520476  |  |
| Tarpaulin for 200 l seed hopper   | 2.2 kg                      | 0539138  |  |
| Tarpaulin for 410 l seed hopper   | 3.5 kg                      | 0539139  |  |
| 4 m monitor extension cord f/ Auto-Controller PLUS & LITE (R)                                       | -                           | 0520466  |  |
| 6 m monitor extension cord f/ Auto-Controller PLUS & LITE (R)                                       | -                           | 0520467  |  |
| 10 m monitor extension cord f/ Auto-Controller PLUS & LITE (R)                                      | -                           | 0520468  |  |
| 4 m power supply extension cord for Auto-Controller PLUS (R)  | -                           | 0520469  |  |
| 6 m power supply extension cord for Auto-Controller PLUS (R)  | -                           | 0520470  |  |



**Multi-Seeder Twin**  
2x100-8-HY-AC -  
593 x 926 (1180) mm  
H=935 (1075) mm



**Multi-Seeder Twin**  
90/140-12-HY-AC  
668 x 800 (1180) mm  
H=900 (1076) mm



## ISOBUS

**Additional price for ISOBUS Controller (AC-models) \***  
**GPS / speed signal is gathered from the tractor**

| Designation  | Item no. |  |
|--|----------|--|
| ISOBUS controller for 1. Multi-Seeder                        | 0520365  |  |
| ISOBUS controller for 2 Multi-Seeders or 1 Multi-Seeder Twin | 0520368  |  |
| ISOBUS controller for 3 Multi-Seeders                        | 0520370  |  |
| Separate terminal for ISOBUS-system                          | 0520372  |  |

\* ISOBUS can not be retro mounted.

A selection of our range of tines. Please request for more information

